

Patient Name (Last, First, MI):

Diagnosis:			Date of Injury/Illness/Surgery:
то в	E CON	MPLETED BY ATTENDING PHYSICIAN. Participants	must return form to their trainer.
l evalua	ated th	is patient on	
Please fitness		whether this patient may or may not participate in t	the following Healthy Lifestyles
Yes	No	3-Minute Step Test: Participant will step up and down rhythmically on a 12-inch high step platform for 3 minutes. Pace will be set by a metronome.	
Yes	No	Rockport Walking Treadmill Test: Only to be used at the testers discretion and/or if participant is unable to take the step test due to Lower Body Extremity injury or malfunction. Method : Participant is to walk one mile as fast as possible on a treadmill. Participant will NOT be allowed to hold on to the treadmill—arms must move freely. After completing the mile, the tester will take the participant's pulse rate.	
Yes	No	Hand Grip Strength: Using a hydraulic hand dynamometer, participant will be testing dominant hand grip strength.	
Yes	No	Push-Up Test: Administered with male participants in the standard "up" positions (hands shoulder- with apart, back straight, head up, on toes) and female participants in the modified "knee push-up" position (ankles crossed, knees bent at 90-degree angle, back straight, hands shoulder- width apart, head up).	
Yes	No	Modified Curl-Up: The participant assumes a supine position on a mat with the knees at 90-degrees. A metronome is set to 50 beats/min and the participant does slow, controlled curl-ups to lift the shoulder blades off the mat (trunk makes a 30-degree angle with the mat) in time with the metronome at a rate of 25 per minute. The test is done for 1 minute. Participant performs as many curl-ups as possible without pausing, to a maximum of 24.	
Yes	No	Squat Test: Participant puts hands on hips and squatouching the chair with their buttocks, then stands ba straight. Tester determines the proper height of chair	ick up until knees and hips are
Yes	No	Sit and Reach Test: Participant sits with heels place reach box, then slowly reaches forward with both har ensure that the knees of the participant stay extended down.	nds as far as possible. Tester will
Yes	No	Single Leg Balance: With socks and shoes removed dominant leg. Participant will cross their arms over the The participant will lift their 'non-dominant' leg from the achieve 45 seconds on any of the attempts the test is to be achieved, the best of the three trials will be use the participant is medically exempt from single leg balance on their on their 'non-dominant' limb.	neir chest prior to starting the test. he floor. If participant is able to s complete. If 45 seconds is unable ed.
Ç		hese restrictions are in effect untilnd the patient will reevaluated on	

PHYSICIAN SIGNATURE: DATE: